










2007-2008 Recommended power tools for LGS contractors
Recommended to be locally purchased for best prices.

Visual	Description	Qty for your project and notes
	<p>Heavy-Duty 14 Inch (355mm) Chop Saw: 15.0 Amp/5.3 HP motor provides more overload capacity, increasing performance and durability.</p> <p>Specifications: Horsepower 5.3 HP No Load Speed 3,800 rpm Spindle Lock Yes Quick Lock Vise Yes Wheel Arbor 1" Wheel Diameter 14" Max Capacity (Round) 5" Max Capacity (Rectangular) 4-1/2" x 6-1/2" Tool Length 21" Tool Weight 40.0 lbs</p>	<p>Recommended 1 ea. per project.</p>
	<p>14" Metal cutting wheel</p>	<p>Recommended at least 4 for single home project. (multiply by number of houses)</p>

	<p>Circular Saw</p> <p>Specifications: 7-1/4" Diameter 15.0 Amp motor Operates at 5800 RPM 50 Degree bevel capacity 2-7/16" Depth of cut at 90 degrees</p>	<p>Recommended 1 ea. per project.</p>
	<p>7-1/4" Carbide tipped blade</p>	<p>Recommended 2 per single house project.</p>
	<p>7-1/4" Diameter 6 Tooth PCD Diamond Fiber Cement Blade</p>	<p>Recommended 1 per single house project.</p>
	<p>10 AMPS Reciprocating Saw</p> <p>Specifications: mps 10.0 amps Strokes/Min 0-2,400 spm Stroke Length 1-1/8" Counter Balance N/A Keyless Blade Clamp Yes Adjustable Shoe Fixed Tool Length 17.25"</p>	<p>Recommended 1 ea per project.</p>
	<p>Metal cutting blades</p>	<p>Recommended 2 per single house project.</p>
	<p>Utility blades</p>	<p>Recommended 2 per single house project.</p>

	<p>Extension cables</p>	<p>Recommended 3 ea. per single house project.</p>
	<p>First aid kit</p>	<p>Must be professional kit.</p>
	<p>Metal 9" Dia. angle grinder metal cutter</p>	<p>Recommended 1 or 2 ea per project.</p>
	<p>9" Blades</p>	<p>Recommended at least 5 per single house project.</p>

	<p>Versa-Clutch Corded: Reversible screw driver.</p>	<p>Recommended at least 2 per single house project.</p>	
	<p>Heavy-Duty XRP 18V Cordless Light Gauge Steel Framing Screwdriver: Tool is designed for steel a fastening application that is ideal for use in 12-28 gauge CRS.</p>	<p>Recommended 1 per person. (Minimum 6 to 8 per single house project)</p>	
		<p>Power drill batteries</p>	<p>Recommended twice the number of screwdrivers purchased.</p>
	<p>Magnetic drill bit holder</p>	<p>Recommended 1 per screwdriver. 2ea extra per project.</p>	
		<p>Magnetic nut setter bits (left) 50 each no 2 screw bits (right)</p>	<p>Recommended Minimum 50 ea.</p>


	<p>Hammer drill with multi position side handle and depth rod.</p> <p>Specifications: $\frac{1}{2}$" chuck 0 to 1000/0 to 2500 no/load RPM Drilling concrete to insert anchor bolt rods</p>	<p>Recommended 1 per project.</p>
	<p>Concrete drill bit</p>	<p>Recommended 2 per project.</p>
	<p>Single shot power actuated</p>	<p>Recommended 1 ea tool per project with 200 rounds of power cartridge.</p>
	<p>Ael-900 with detector: Compensated self leveling LASER</p>	<p>Recommended 1 per project attached to a matching tripod.</p>
	<p>Cordless finishing gun: Fastener range $\frac{3}{4}$" TO 2-$\frac{1}{2}$", 11.75"X12.5"</p>	<p>Recommended 1 per project with 2,500 shots per single house project.</p>



**CELLULOSE
INSULATION
APPLICATION
EQUIPMENT**

Hose, wall shaver, nozzle with remote switch and other accessories included. Unit comes complete and ready to use.

Recommended
1 per project.



**FIBER CEMENT CUTTING
SHEARS:**

The KC-193 variable speed 5.5 amp model comes with the heavy duty steel cutting head to provide fast cutting of up to 1/2" backer board or fiber-cement board with no airborne dust and minimal clean-up. The long lasting A-2 tool steel blades last longer and cut cleaner than expensive carbide tipped saw blades.

Recommended
1 ea per project.



8000 Watt Electric Start Generator with Cord:

25 Foot Gen-Cord included, one end connects to 30 amp (240 volt) twist lock outlet and other end splits into FOUR 120 volt household plugs. Starts with a simple touch of a button. Battery and battery float charger included. 7 gallon metal gas tank generates up to 10 hours of electricity at half load. Includes 12" pneumatic wheels and twin fold – down handles.

Specifications:

Model #: 30244
Voltage: 120/240
Frequency: 60 Hertz
Engine: 15-HP Generac OHV
Auto voltage regulation
Low oil alert
Weight: 198 lbs
Dimensions: 33.5" L x 20.25" W x 24.25" H